



Pure Hi-Fi

Ultima 40 Mk2 (2017)

The Ultima 40 is a set of stereo Hi-Fi loudspeakers that look different, sound better and cost less. Perfect for your next party, a relaxing music-listening session or an evening spent with friends. For the music lover in all of us.

Highlights:

- Impressive Hi-Fi loudspeakers at an unbeatable price
- The best-selling floor-standing speaker in Germany for 2015*
- Two 165mm bass drivers for deep, precise bass down to 45 Hz (-3dB)
- 3-way speakers with 200 Watt power capacity
- Universal compatibility with any amp

Included components

- 2 x Floor Speaker UL 40 Mk2

Technical Data**Tower Speaker UL 40 Mk2:**

Speaker	Continuous power handling (IEC - Long Term)	120 Watt
	Peak power capacity (IEC - Short Term)	200 Watt
	Sensitivity (2.83 V / 1 m)	87 dB
	Minimum amplifier output power recommended	20 Watt
	Maximum sound pressure level	108 dB/1m
	Impedance	4 - 8 Ohm
	Frequency range from/to	45 - 20000 Hz
	Crossover frequency internal switch	650 /2600 Hz
	Tweeter (number per enclosure)	1
	Tweeter (diameter)	25.00 mm
	Tweeter (material)	Fabric
	Midrange driver (number per enclosure)	1
	Midrange driver (diameter)	165.00 mm
	Midrange driver (material)	Kevlar/Fibreglass membrane, chromium-coloured phase plug
	Woofer (number per enclosure)	2
	Woofer (diameter)	165.00 mm
	Woofer (material)	Fibreglass membrane + cellulose, coated
	Acoustic principle	3-way
	Enclosure type	Bass reflex
	Enclosure material	Wood
	Enclosure surface	Foil
	Equalisation openings	2
	Equalisation openings (pos.)	Back
	Removable front cover	Yes
	Net internal volume	52 Litres
	Spikes prepared	Yes
	Integrated stand	Yes
	Terminal clamps	Screw terminals, gold plated
	Suitable for banana plug	Yes
	Bi-Amping/Bi-Wiring	Yes
	Maximum cable diameter	4.00 mm
	Suitable for AV receiver	Yes

Dimensions	Depth	32.70 cm
	Width	21.50 cm
	Height	106.00 cm
	Weight	20.30 kg