



3D sound machine

Cinebase

Endless expanses of sound, bottomless depths of bass: The Cinebase supports your television both physically and sonically. With this compact single-speaker solution, room placement isn't a problem. That's because the Cinebase is at once a compact loudspeaker with integrated subwoofer and an attractive pedestal for your display.

Highlights:

- Plug-and-play high-end TV soundbase with the best sound in its class
- Install in seconds with single-cable TV connection
- 280 Watt amplifier, 6 drivers and amp and 2 jet-engine subwoofers provide unrivalled sound quality
- 2 woofers + air stream bass technology for powerful bass without an external subwoofer
- AI-inclusive: No other equipment, such as amps or AV receiver, needed

Included components

- 1 x Cinebase
- 1 x Power Cable for Cinebase
- 1 x Remote control for Cinebase

Technical Data

Cinebase:

Speaker	Maximum sound pressure level [dB/1m]	102
	Frequency range from/to [Hz]	42 - 20000 Hz
	Woofer (number per enclosure)	2
	Woofer (diameter) [mm]	130
	Woofer (material)	Cellulose, coated
	Broadband loudspeakers (number per enclosure)	6
	Broadband loudspeakers (diameter) [mm]	70,00 mm
	Broadband loudspeakers (material)	Cellulose, coated
	Acoustic principle	2-way
	Enclosure type	Bass reflex
	Enclosure material	MDF wood
	Enclosure surface	Laminate
	Net internal volume [Litres]	11.3
	Integrated stand	Yes
Connections	NFC	Yes
	Digital inputs optical	1
	Analogue inputs	1
	Cinch input stereo	1
	Video inputs- HDMI	1
	HDMI Version	1.4b
	Video outputs - HDMI	1
	Video outputs - HDMI	Yes
	HDMI Version	1.4b
	Miscellaneous	ARC, CEC
Playback	Bluetooth	4.0
	sonic emotion	Yes
	Dolby Digital	Yes
	DTS	Yes
	Dolby Pro Logic	Yes
	Dolby Pro Logic II	Yes
Electronics	Dolby Virtual Speaker	Yes
	Amplifier technology	Class D

	Amplifier configuration	6.1
	Amplifier channels	7
	Power output capacity impulse (peak) Satellite [W]	25
	Power output capacity impulse (peak) Bass [W]	130
	Power output capacity sinus (RMS) Satellite [W]	20
	Power output capacity sinus (RMS) Bass [W]	80
	Power supply voltage [volts]	230 Volt
	Standby-Function	Yes
	Standby-Power consumption [watt]	.4
	Maximum power consumption [watt]	320
	Mains cable - IEC connector (non-heating device)	Yes
	Safety class	2
	Fuse	Yes
	Storage for settings when disconnected	Yes
	Automatic on/off	Yes
	Integrated DSP	Yes
	Integrated DD/dts/PLII-Decoder	Yes
	Infrared remote control	Yes
Dimensions	Depth [cm]	41
	Width [cm]	73
	Height [cm]	11
	Weight [kg]	11.7